

เด็กชายไทยอายุ 6 ปี ภูมิลำเนา จ.ขอนแก่น

■ CC

□ ใช้สูง ปวดศีรษะมา 7 วัน PTA

■ PI

□ 7 วัน PTA ใช้สูง ปวดศีรษะ อาเจียนวันละ 2-3 ครั้ง กินได้น้อย admit รพช

■ Melioid titer +ve Lepto titer +ve

■ CBC Hct 29%, WBC 11400 (N73%, L26%)
Plt 146000



Interhospital Conference

- พญ.อุษณีย์ ศรีร่วมโพธิ์ทอง
- รพ.ศูนย์ขอนแก่น

□ 2 วัน PTA ซึมลง โต้ตอบได้ช้า ตรวจร่างกายมี **stiffneck positive** ได้เจาะน้ำไขสันหลัง และให้การรักษาด้วย

Chloramphenical 500 mg IV q 6 hr,

Fortum 2 g IV q 8 hr ซึมมากอาการไม่ดีขึ้น จึงส่งมารักษาต่อ

CSF:cell 700(N 10% L 90%) sugar 16 protein482

Electrolyte:Na 119 K 3.98 Cl 93.6 HCO₃ 22

correct 3%Nacl then Na 125 K3.99 Cl97.8 HCO₃ 22

■ PH

□ แข็งแรงดีมาตลอด



■ PE

- A boy drowsy poor co-operation
- BW 20 Kg Ht 110 cm
- BT38.3c HR120/min RR 22/min BP104/73mmHg
- HEENT :not pale, no jaundice, CLN -ve
- H&L: WNL
- Abdomen: soft, not distend,liver and spleen were impalpable
- Ext.: no rash, no edema



- PE

- Neurological Examination:

- Conscious:drowsiness
 - CN:intact
 - Motor gr v all
 - Sensory:intact
 - Hyperreflexia
 - BKK:dorsiflex both
 - Stiffneck +ve